







2. CLEARANCES FOR TOOL ACCESS AND THERMAL CONSIDERATIONS.
- A. GAPS ABOVE AND BELOW THE PANEL MAY BE CLOSED BY A GRID (MIN 50% OPEN AREA) WHICH CAN BE REMOVED FOR SERVICING.
 - B. GAPS ON THE LEFT AND RIGHT OF THE PANEL MAY BE CLOSED BY A REMOVABLE SOLID MATERIAL OR GRID MATERIAL.
1. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
- NOTES: UNLESS OTHERWISE SPECIFIED.

<div><div><div></div></div><div>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS [INCHES]</div></div>		ENGR BY	
TOLERANCES:		DRAWN BY	
X= ±1	XX= ±.25	CHECKED BY	
.X= ±.5	∠= ±1°	USED ON	
DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994		MATERIAL	
THIRD ANGLE PROJECTION		FINISH	
<div><div><div></div></div><div></div></div>		TITLE	98" ULTRARES INSET MOUNTING
SIZE	PART NO.	DRAWING NO.	REV
D	-	-	
SCALE	1:10	DO NOT SCALE	SHEET 3 OF 4

THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO PLANAR SYSTEMS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF PLANAR SYSTEMS IS PROHIBITED. THIS DRAWING IS SUPPLIED FOR INFORMATION, IDENTIFICATION, ENGINEERING, EVALUATION, AND/OR INSPECTION PURPOSES ONLY AND MAY NOT BE USED AS BASIS FOR THE MANUFACTURING OF PRODUCTS OR THE FURNISHING OF SERVICES TO PLANAR SYSTEMS OR TO ANY THIRD PARTY UNLESS AUTHORIZED IN WRITING BY PLANAR SYSTEMS.

